

THE SEDGWICK BROS. CO.

—ILLUSTRATED—

CATALOGUE

—OF—

FENCES AND GATES.

• 1894. •


MEDAL AND DIPLOMA

Awarded at World's Columbian Exposition,

—FOR—

Wire Fences and Gates for Garden, Lawn and Farm.

RICHMOND, IND.



THE SEDGWICK BROS. CO.,

MANUFACTURERS OF

12/17 RW
840 66

WIRE NETTING,

FENCES AND GATES.

—ALSO—

SEDGWICK'S WIRE STRETCHER,

SUMMER HOUSES,

LAWN FURNITURE, &c.,

1517 NORTH F STREET,

RICHMOND, INDIANA.

(SEE PAGE 17.)

SEDGWICK'S STEEL WIRE FENCE.

THE BEST! SAFE! SURE! LASTING!

THE question of **fence** and **fencing material** is each year becoming more prominent. **Timber** fences must soon be a thing of the **past**. Extravagant use of wood fencing, either rails, boards or pickets, must cease. Hedges have been tried and **found wanting**.

The use of wire, both barbed and plain, is a step towards the fence of the future. The **danger** of barbs, and the **inefficiency** of barbed fencing for anything except cattle, gave rise to the **greater achievement** of **weaving** the **plain SAFE wire** into a **strong net work**, sufficiently small to be **sure protection** for all **small stock**, and **abundantly strong** for the **most vicious stock**.

Wire Net Work is no new thing; it has been used with great satisfaction in England for more than **sixty** years, by wealthy gentlemen, and in some parts of the United States it has been giving excellent satisfaction for twenty-five years. It was formerly **made by hand**, and necessarily **expensive**; only small wire could be used, and a netting of flimsy texture made. By **machinery**, the **SEDGWICK BROS. CO.** now manufacture **heavy, firm netting**, sufficiently strong for any purpose, and **at a price within reach of farmers generally**.

Since first putting the machinery into operation, we have been in daily receipt of **proofs** and **testimonials** that this fence is practical, having the claims that must demand attention, and having these claims **established** by **successful trial for twelve years**; and there are now more than **two thousand miles** of this fence in use, made by this firm.

Strength.

To illustrate the strength, we submit the following figures :

The margin wires—that is, the top and bottom—run nearly straight. and in all widths above 42 inches are of No. 8 wire. In the narrower widths No. 9 is used, and No. 13 for the **body or middle wires** in all widths. The breaking strain of No. 8 is about 2,800 lbs.; of No. 9 about 2,500, and No. 13, 800 lbs. For example:

Our 4x7 mesh takes two No. 13 wires for every 4 inches height, and our 5x8 inch mesh takes two No. 13 wires for each 5 inches height. Our standard farm fence is 5 inch mesh and 52 inches in height, and is made of two No. 8 wires, breaking strain, 2,800 lbs each	5,600
and twenty-one No. 13 wires, breaking strain 800 lbs.	
each	16, 800

Total strength 22,400

Our Single No. 8 wire is better and stronger than any twisted selvage now used. No body wire is expected to break with less than 800 pounds strain, and the wire will break before the twist will slip. **These figures show that this is no light bird-cage pattern, but a strong stock fence.**

Not Affected by Heat or Cold.

Owing to the peculiar construction of this netting, in diamond-shaped meshes, which allows for the contraction and takes up the expansion of the wire, the fence is not affected by heat or cold, and does not get to sagging after a season of service.

It Cannot be Washed Away by Floods.

This netting makes a most excellent fence for low lands that are subject to overflow. It can be put up in such a way as to hang fast, when the water is strong enough to tear out some of the posts. As the water can pass through it freely it is much less liable to be damaged than any other kind of fence. It has stood such tests effectually.

Cannot be Blown Down.

Not having surface exposed it is not affected by severe wind storms, and stands unharmed, **where a board or slat wire fence would be leveled to the ground.** For this reason it is particularly adapted to the treeless States, or to any locality where high winds are prevalent. This fence far exceeds all others in point of

DURABILITY.

We use the very best quality of **Steel Wire, Galvanized;** a much better quality of wire, and a wire that is better galvanized than the common barbed wire. This is expected to be good after fifty years of service; and there is galvanized netting of this quality in use near here, that has been in service more than twenty-five years, and is apparently as good as ever.

SIZE OF MESH AND WIDTH OF NETTING.



Cut No. 4.

Cut No. 4 represents the general shape of the mesh, and shows twist correctly. We are now making three sizes of heavy mesh netting: 5x8, 4x7 and 3x6 inches in width and length of mesh. The measure of

the mesh is the extreme length and breadth of the opening, and a postal card will not go through a 5x8 mesh without taking off nearly an inch at each corner.

TOOLS FOR PUTTING UP NETTING FENCE,

or, in fact, any wire fence. The Cutting Pliers, as per cut No. 15, will be found a useful tool about any farm after the fencing is put up, for pulling, bending, or cutting wire, nails, etc.

The Sedgwick Wire Stretcher, a Little Giant for strength and grip. [See next page.]




Cut No. 15. Cutting Pliers. Price, \$1.00.

THE SEDGWICK STRETCHER,

Shown in cut No. 14, is a late invention, and has no ropes or chains to break, nor springs, pulleys or ratchets to get out of order. It is adapted to any kind of wire—plain, barbed or netting. Can be worked in any position. This Stretcher has a drawing power of 1500 lbs., and any amount of slack, no matter how great, can be taken out of the wire without loosening at all the tension on the post to which it is fastened to draw from. This is done by means of an eccentric, or dog, on the part attached to the posts, which holds the wire firmly, allowing the draft rod to be moved forward for a new hold. This is something no other Stretcher will do. It is made of the best material, malleable iron, wrought iron, and steel. Weight only seven pounds.

It is quicker and easier operated than any other Stretcher in the market.



Cut No. 14. Stretcher. Price \$1.00.

Where railing is not used with the netting, be sure to get a good Stretcher.



Cut No. 18. Showing Stretcher in Operation.

Stretcher, \$1.00. Stretcher and Pliers, \$2.00.

POSTS.


We do not furnish posts unless specially ordered, and never include them in any estimates made to inquirers, unless asked to do so. We recommend any good wood posts, and suggest that whenever a dressed post, about 4x4 inch tapered to 2x4 inch can be used, it makes a much neater looking fence than just an ordinary rough post. They may (for farm fences) be placed 12 to 50 feet apart, and light false posts used between. By a false post we mean a "spreader," 1x2 inch in size, which is stapled to the top and bottom wire to keep the netting margins from drawing together, and keeping the fence tightened and in good shape. This false post acts as a truss, and places any strain on the whole fence instead of a few wires. It also prevents hogs lifting the bottom wire. If saving Posts is an object, they can be placed 40 or 50 feet apart, using "false" posts between, and make a splendid fence. If base and rail are used, it is best to set posts about 7 feet apart. Base and rail are not necessary in farm or poultry fences. We know of no iron post that is good and cheap enough to give satisfaction for general use.

STAPLES.

We keep in stock the best Fence Staples, which we sell at market prices. These are specially adapted for driving, and will not split the Posts.

Fences put up with base and rail, as per cuts Nos. 1 and 10, require 1 lb. to 2 rods, or 3 lbs. per 100 feet. Put up like cut No. 3, without base or rail, requires 1 lb. per 100 feet.

Cut, Showing Actual Size of Wire.



MARGIN WIRE.

Our netting has a large, smooth selvage or margin wire, which will admit of slipping the netting or body wires, backward or forward, so as to adjust the netting to any unevenness of the ground, over which the fence is to pass. This cannot be done with any netting that has a twisted cable for margin. **Much stronger splices can be made with a single wire than with the cable margin.**



Cut No. 3. FARM AND GARDEN FENCE.
[For heights, see pages 19, 20, 21 and 22.]

FARM FENCING.

Cut No. 3 represents a Farm Fence. The 52 inch height, 5x8 mesh, is most generally used.

It is high enough for all general farm fencing and will turn any stock that a **five-board fence with a cap will**, and **will last much longer, and is preferable in every respect.** Our 47 inch, 5x8 inch mesh, does very well for an inside fence, and if set on a ridge of earth 6 inches high (which is the proper way to set any fence), is just as good as a 52-inch fence. The 4x7 inch mesh contains one-fourth more wire than the 5x8 inch and is correspondingly stronger, and is better adapted for scale pens, bull lots, deer parks, and small enclosures near barns; 58 to 70 inch fence is used for these purposes, and no better or cheaper fence can be used.

[For Garden Fence, see page 12.]

FENCE FOR HOGS.

Parties who, for special reasons, desire to use barb wire, can make a combination with our wire netting and make a hog-tight fence, but usually more expensive and not so good as all netting. Also, many hedge fences now in use that are only a partial protection, can be made hog tight by using our narrow netting underneath, wired to hedge in place of posts.

Our netting is strong enough to enclose the most vicious stock, and close enough to keep in the smallest pig.

Garden Fence.

For this purpose we recommend 44 inch fence, 3x6 inch mesh, with board at the bottom, but no railing; or 50 inch, 3x6 inch, put up as in cut No. 3. The 4x7 mesh will turn medium sized fowls, but if the lesser ones are to be excluded then it is preferable to use either a base or the 3x6 mesh netting. **There is no fence better adapted for gardens than this 3x6 mesh netting.** It shelters no enemies to crops, is a complete protection, takes up the least possible room, casts no shade, and is an excellent support to vines, desirable for trellises, arbors, &c.

The usual way of setting farm and garden fence is also shown in cut No. 3. The large posts are from 1 to 3 rods apart, with intermediate or "false posts" between, 6 to 8 feet apart. The false posts are 1½ inch strips, stapled to top and bottom wires to spread the netting, therefore do not extend into the ground.

Rabbit Proof Fencing.

The 2 inch mesh, 24, or 36 inches high, is largely used to render heavy stock fences rabbit proof, and we have sold this for protecting orchards and vineyards from this pest of the Western fruit grower.

Outside Cemetery Fence.

The large number of Cemeteries now enclosed with our nettings, attest their value for this purpose. We suggest 52-inch netting 5x8 mesh, 50-inch 4x7, or 50-inch 3x6 mesh, if put up as in cut No. 3; or 42-inch 4x7 mesh, 38-inch 4x7 or 3x6 mesh, if put up as in cut No. 1. This latter is a more desirable way of putting it up, if the additional expense of base and rail can be afforded. **[See pages 17 & 40.]**

Corrals and Movable Fences.

There are many farmers who want a fence that can be moved at a small expense. For this purpose the netting may be put on posts 40 to 60 feet apart, and light spreaders put in every 6 or 8 feet; thus not more than 10 to 20 posts need be used in 100 rods, and the netting in lengths of 5 to 10 rods stapled to the posts. When it is needed to be moved draw the staples and roll up the fence with the spreaders in and remove the posts to the place where they are wanted, and then it is not much labor to put on the wire again. Where there are fences that are between fields that are to be planted to the same crop it is thus easy to avoid much turning, and the extra grain that is raised where the fence stood will pay the expense of moving. With this plan much less fence will serve on the farm and the expense of cultivation be reduced.

To Raisers of Sheep.


This is the fence that is wanted. It is absolute protection from the roving dogs in the more populous parts of the country, and from the wolves on the prairies. Even the cunning fox is barred out by the netting. Then it never catches the wool nor spoils the fleece.

The Breeders of Fine Cattle

Will find this fence the best for their purpose. We have sizes that are strong enough that no bull can break the fence, and there is no chance of injury to the finest animals. We cannot too strongly recommend our fence to this class of patrons.

LAWN FENCES.

These fences we recommend for lots in town or lawns in country. 34 inch 4x7 mesh, 38-inch 4x7, or our 3x6 mesh, are the sizes most suitable for this style shown in cut No. 1.



Cut No. 1—Lawn Gate.

Cut No. 2.
Base and Rail.

The base and rail we do not furnish, because it can usually be bought as cheap by the customer at his home market, and the freight saved.

Cut No. 2 shows how the wire is to be put on, and the comparative size of base, rail and post. We prefer pine or poplar for base, size 1x8 inch, rail 2x3 or 2x4, set edgewise, so as to project $\frac{1}{4}$ inch over post top. Bottom wire should go between the base and the post and $1\frac{1}{2}$ inch down from top of the base, and stapled to the back of base. Post 4x4, taper 2x4, set about 7 feet apart. This fence is better and much prettier than picket fence, and can be put up much cheaper; costs one-half less to keep painted and in good repair, and is far more durable; shows a handsome lawn off to advantage.

N. B. Gate with this may be ornamental, and add to the beauty. [See pages 17 & 40.]

ORNAMENTAL FENCING.

To parties who are improving yards, parks, etc., we are now able to offer a variety of ornamental and substantial fancy fencing, that we feel sure will meet the public favor. Picket or paling fence, has long been the standard fence for such use, and all iron fences have heretofore been considered beyond the means of the average buyer. Our netting, put up neatly, with dressed posts, base and rail, and scroll top on gate, can be completed and kept in order cheaper than first-class paling fence, and is much more attractive and durable. Our all iron fence of various designs are new, handsome, and cheaper than this class of work has been put on the market heretofore.

PICKETS.

Cut No. 11 shows one of our malleable pickets, which is used on railing, as shown in cut No. 10. These pickets,




Cut No. 11. MALLEABLE PICKET.

Price 10 Cents.

all complete, cost 10 cents each. Pickets for end posts, corner or gate posts, same price.

being made malleable, are not easily broken and add much to the beauty of the fence. Each one occupies twelve inches space, are nicely blacked and furnished with screws,



Cut No. 10. ORNAMENTAL TOP AND GATE.

The suggestions given on pages 14 and 15, for cut No. 1, apply to this style (No. 10) as well. It is one of our very prettiest styles, and cannot fail to satisfy the most fastidious.

[For heights, see pages 19, 20 and 21.]

[See pages 17 & 40.]

SPECIAL INFORMATION.

On account of the changes in prices of material, our prices are subject to change without notice. Many of our best customers want to see just what the cost will be, including freight.

We wish to say plainly that we are always glad to have the opportunity of making special estimate to any one who will write for net price on just the amount and kind of fence wanted. He can then know by personal letter just what his goods will cost. To do this, we must know:

1. Height of netting wanted.
2. Numbers of rods or feet (total) wanted.
3. Size of mesh wanted.
4. Whether railing, base, or both, will be used, and width of same.
5. Height and width of gates, plain or ornamental.
6. Self-closing springs, if wanted.
7. Tools and staples, if wanted.

If all-iron fence, send diagram and exact measure.

FREIGHT.

We deliver all goods on cars here in good order. Most all railways carry our goods at 4th class rate. The present rate will carry 100 rods 500 miles at about an average cost of \$5. We can often, but not always, get freights guaranteed; but goods are carried at schedule prices. No packing or boxing except staples and tools in a small box. The goods, when finished, are in a good shape for shipping. We always do our best in getting best rates possible.

How to Put Up Fence.

Plain directions, written by an experienced workman, are sent with every order, and any one with average intelligence can soon understand how to go to work. The average cost of labor on farm fence is 8c. per rod.



Cut No. 28.

Represents section of netting, 52 inches wide, 5x8 mesh.

Price List of Standard 5x8 Mesh Netting.

Margin Wire No. 8 — Mesh Wire No. 13.

Height.	Weight per Rod.	Weight per 100 ft.	Price per Rod.	Price per 100 ft.
22 Inches	6½	37	\$ 61	\$ 3 69
27 "	7	42	66	3 96
32 "	7¾	46	71	4 27
37 "	8½	51	76	4 57
42 "	9½	56	81	4 87
47 "	10½	61	86	5 17
52 "	11	66	91	5 45
57 "	12	71	96	5 78
62 "	12¾	77	1 02	6 11
67 "	13½	82	1 07	6 44

For No. 6 Margin Wire, add 3c. per rod, or 18c. per 100 feet. **Special Prices on large lots.**

Price List Extra Heavy, or "Jumbo" 5x8 Mesh Netting.

Margin Wire No. 6 — Mesh Wire No. 12.

Height.	Weight per Rod.	Weight per 100 ft.	Price per Rod.	Price per 100 ft.
47 Inches	14	85	\$1 00	\$6 00
52 "	15	90	1 05	6 30
57 "	16	96	1 10	6 60
62 "	17	102	1 15	6 90
67 "	18	108	1 20	7 20

Special Prices on large lots.

Note the **extra heavy weight** of the wire we use, and the **smallness of the mesh**, and you will find we make the cheapest, strongest and closest twisted netting offered on the market.

All prices subject to change without notice.

[See pages 17 & 40.]

Price List of 4x7 Mesh Netting.

Margin Wire No. 8 or 9 — Mesh Wire No. 13.

Height.	Weight per Rod.	Weight per 100 ft.	Price per Rod.	Price per 100 ft.
18 Inches . .	6 $\frac{1}{4}$	37	\$ 61	\$ 3 69
22 " . . .	7	42	66	3 96
26 " . . .	7 $\frac{3}{4}$	46	71	4 27
30 " . . .	8 $\frac{1}{2}$	51	76	4 57
34 " . . .	9 $\frac{1}{2}$	56	81	4 87
38 " . . .	10 $\frac{1}{4}$	61	86	5 17
42 " . . .	11	66	91	5 45
46 " . . .	12	71	96	5 78
50 " . . .	13	77	1 02	6 12
54 " . . .	13 $\frac{3}{4}$	82	1 07	6 44
58 " . . .	14 $\frac{1}{2}$	87	1 13	6 78
62 " . . .	15 $\frac{1}{4}$	93	1 19	7 14
66 " . . .	16	97	1 24	7 44
70 " . . .	17	102	1 30	7 80

Special Prices on large lots.

These are the widths as woven in the machine, but owing to the spring of the wire it may not appear full width. The number of meshes, multiplied by size of mesh, will give the width.

The height of netting we count by meshes—4 inches for each mesh and 2 inches for the half mesh in 4x7, and 5 inches for each mesh and 2 inches for the half mesh in 5x8; 3 inches for each mesh in 3x6.

We make rolls of any length up to 400 feet, or even 600 feet.

All prices subject to change without notice.

[See pages 17 & 40.]

PRICE LIST OF 3-6 MESH NETTING.

Margin Wire No. 8 or 9 — Mesh Wire No. 14.

Height.	Weight per Rod.	Weight per 100 ft.	Price per Rod.	Price per 100 ft.
26 Inches . . .	7 $\frac{3}{4}$	46	\$ 77	\$ 4 62
32 " . . .	9	54	84	5 04
38 " . . .	10	61	91	5 50
44 " . . .	11 $\frac{3}{4}$	68	99	5 94
50 " . . .	13	77	1 08	6 48
56 " . . .	14	85	1 15	6 93
62 " . . .	15 $\frac{1}{4}$	93	1 24	7 44
68 " . . .	16 $\frac{1}{2}$	100	1 32	7 92

Special Prices on large lots.

This netting is made especially for Lawns and Gardens, and is heavy and strong enough for all kinds of stock.

For lawns, and everywhere, where it is not specially desirable to stop half-grown chickens, we would advise our regular 4x7 mesh of No. 13 wire, as it will be found quite as desirable, and cheaper.

We are often asked for samples. We can not send a full width sample, but can send sample mesh, showing size and kind of wire and twist. A single mesh does not show as strong as the whole fence appears when put up.

All Prices subject to change without notice.

[See pages 17 & 40.]



PRIZE FENCE. — Mesh 4x8, 5x8, and 6x8.

PRIZE FARM FENCE.

For several years we have had inquiries for a fence with small meshes at the bottom and larger meshes at the top. Being now prepared to make a netting of that kind, we take pleasure in offering it to our customers. We are sure it will meet a ready sale where a closer fence than our standard farm fence is wanted. This fence combines the greatest strength and protection in proportion to weight.

Price List of Prize Farm Fence.

Combinations, 4x8, 5x8, 6x8 Mesh.

Height.	Top Margin	Bottom Margin	Mesh Wire.	Weight per Rod.	Weight per 100 ft.	Price per rod	Price per 100 ft
47 Inch	No. 6	No. 8	No. 13	11 lbs.	66 lbs.	\$ 91	\$5 46
52 "	" 6	" 8	" 13	12 "	72 "	96	5 76
57 "	" 6	" 8	" 13	13 "	78 "	1 02	6 12
62 "	" 6	" 8	" 13	14 "	84 "	1 07	6 42
67 "	" 6	" 8	" 13	15 "	90 "	1 12	6 72

Special prices on large lots.

We are sure that when this netting is put up as noted on page 8, it will be found as near perfection as any fence yet made.

Rolls made of any length, up to 600 ft. We find 400 ft. a convenient length to handle in putting up.

(See pages 17 and 40.)

PRICE LIST SPECIAL 2-INCH MESH.

Margin No. 12 Wire — Mesh No. 18 Wire.

HEIGHT.	PRICE PER ROD.	PRICE PER 100 FT.
12 Inches	\$ 19	\$1 10
18 "	28	1 65
24 "	37	2 20
30 "	46	2 75
36 "	55	3 30
42 "	64	3 85
48 "	74	4 40
54 "	83	4 95
60 "	92	5 50
66 "	1 00	6 00

Special Prices on large lots.**HEAVY 2-INCH MESH.**

Margin Wire No. 10 — Mesh Wire No. 15.

HEIGHT.	PRICE PER ROD.	PRICE PER 100 FT.
12 Inches	\$ 37	\$ 2 20
18 "	55	3 30
24 "	74	4 40
30 "	92	5 50
36 "	1 10	6 60
42 "	1 28	7 70
48 "	1 47	8 80
54 "	1 65	9 90
60 "	1 83	11 00
66 "	2 00	12 00

Special Prices on large lots.

These Heavy **Special Nettings** are the best made Nettings on the market. The straight, heavy margin wire is the special feature. They put up better and stand better than any other 2-inch mesh netting made.

The wire is galvanized before weaving, and can be furnished in any length roll wanted, up to 400 feet.

A better quality of wire is used than in any other 2-inch netting on the market.

[See pages 17 and 40.]

POULTRY YARDS.

Where poultry yards come next to stock yards, our heavy special 2-inch mesh No. 15 wire, is the thing to use, as it is strong enough to turn the stock, horses, cattle, hogs and sheep, and at the same time small enough to turn the smallest chicken. Where only poultry is to be enclosed, our special 2-inch mesh No. 18 wire, as priced on page 22, is the best and nicest thing to use. We also have first-class standard 2-inch mesh No. 19 wire, as priced below, that is nice, light and cheap, for poultry enclosures.

SMALL MESH NETTING.

This Wire is Galvanized after being Woven.

There is a growing demand for small mesh, light wire goods, found useful for so many purposes. This class of goods comes in rolls of 150 lineal feet, and in widths 12, 18, 24, 30, 36, 42, 48, 60, or 72 inches, and sizes of wires as noted in the list below. Besides our heavy work we have first quality, full weight goods of this class, the best in the market. None of this small mesh netting, however, is designed as a protection against hogs, cattle, and horses.

PRICE LIST OF SMALL MESH NETTING.

$\frac{1}{2}$	inch mesh, No. 22 wire, . . .	18 $\frac{1}{2}$ cts. per square foot.
$\frac{3}{4}$	" No. 20 " . . .	9 " " "
1	" No. 20 " . . .	5 $\frac{1}{2}$ " " "
1 $\frac{1}{2}$	" No. 19 " . . .	3 $\frac{1}{2}$ " " "
2	" No. 19 " . . .	2 $\frac{1}{2}$ " " "


Discount on Full Rolls, - - - 65 Per cent.
" on Cut Lengths, - - - 60 "

Special Prices on lots of 10 Rolls, or more.

 These Discounts apply to this page only.


THE SEDGWICK GATES

are made of wrought iron pipe and steel wire, and defy all competition in neatness, lightness, strength and durability, suitable for farms, lawns, cemeteries, etc.



Cut No. 6. (See Price List, p. 26.)


These Gates are all fitted with our adjustable hinge that allows the Gate being set high or low, and to open either way, or both ways, with spring latch, and either double or reversible catch, as per order. Reversible catch is best. Have made recent improvements, which increase the firmness and strength, making them entirely reliable for any purpose.



Cut No. 25.

Nos. 6 and 25 represent our Single Drive Gates, plain and ornamental. These Gates are 10 feet wide, (11 feet and 12 feet, or odd sizes, made to order,) and weigh 45 to 55 lbs. For prices, see lists, pages 26 and 27. Odd sizes at special prices.

ORNAMENTAL GATE.—SINGLE, DOUBLE, AND LAWN.




Cut No. 16—Double Lawn Gate.


(See Price List, pp. 26, 27.)

SINGLE AND DOUBLE LAWNS.

Cuts No. 26 and 27 represent our plain and ornamental single Lawn Gates, and cut No. 16 our double Lawn Gate; (this gate is also made plain, if so ordered). For lawns, the single gates, 3 feet and 3 feet 4, are the preferable widths. School lots and cemeteries usually prefer 4 feet single or 8 feet double. We have sold thousands of these gates, and have never heard a word of



No. 27—Ornamental Lawn Gate. complaint from a single customer.



No. 26—Plain Lawn Gate.

PRICE LIST OF PLAIN GATES.

		Each.
SINGLE	3 ft. wide	\$ 3 00
	3 ft. 4 in. wide	3 40
	4 ft. wide	3 80
	5 ft. wide	4 30
	6 ft. wide, one center piece	4 90
	7 ft. wide, " "	5 50
	8 ft. wide, " "	6 00
	9 ft. wide, " "	6 60
	10 ft. wide, two center pieces	7 50
DOUBLE	11 ft. wide, " "	8 10
	12 ft. wide, " "	8 65
	6 ft. wide	6 00
	8 ft. wide	7 60
	10 ft. wide	8 60
	12 ft. wide one center piece each	9 80
	14 ft. wide " " "	11 00
	16 ft. wide " " "	12 00

Gates made in 2x3 mesh, 5 cts. extra per foot of width.

Other sizes made to order, at corresponding rates.

Attachments necessary for hanging the Gates are included in the prices above.

Order Gate for base and rail 4 inches higher than the netting; without base and rail, 4 inches lower. **The measure is to the beginning of the arch, not to the top of the gate.**

The space that a 3-foot Gate fills is 3 feet 3 inches.

 **Self-closing Springs** for Lawn Gates are 20 cents each. Good for Gates 3 ft. or 3 ft. 4 inches, opening one way only.

Space Between Posts.—Single Gates, 3 inches wider than the gate; Double Gates, 4½ inches.

PRICE LIST OF ORNAMENTAL GATES.

		Each.
SINGLE	3 ft. wide	\$ 3 75
	3 ft. 4 inch. wide.....	4 15
	4 ft. wide	4 50
	5 ft. wide	5 10
	6 ft. wide, one center piece	5 70
	7 ft. wide, " "	6 25
	8 ft. wide, " "	6 75
	9 ft. wide, " "	7 35
	10 ft. wide, two center pieces.....	8 25
DOUBLE	11 ft. wide, " "	8 90
	12 ft. wide, " "	9 40
	6 ft. wide	7 50
	8 ft. wide	9 00
	10 ft. wide	10 20
	12 ft. wide, one center piece each.....	11 40
	14 ft. wide, " " "	12 50
	16 ft. wide, " " "	13 50


Gates made in 2x3 mesh, 5 cts. extra per foot of width.

 Our Gates are made to suit the height of the fence. In ordering, please state the height wanted. And if for any special width, give the exact distance between posts. **The measure is to the beginning of the arch, and not to the top of the gate.**

We also make an extra heavy Farm or Stock Gate, using larger pipe and heavier wire. These we offer at 20 cts. per foot more than the above prices.

We make the following regular heights: 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 60. and 66 inches.

AUTOMATIC, OR SELF-OPENING GATE.



Cut No. 7.

AUTOMATIC, OR SELF-OPENING GATE.

The utility of Self-Opening Gates is more and more appreciated. The man coming home in the rain, or with restless horses that are not safe to leave; women and aged people that can not get out of vehicles easily; the man on a load of hay; in fact everybody says this is the gate that is really convenient.

We ask attention to our must excellent Automatic Gates. These are made of wrought iron pipe and galvanized steel wire (unless painted is ordered). Plain or with ornamental tops. They embody all the latest improvements, with few and simple working parts, having single trip or wheel irons, always in position and of sufficient length to be easily hit on dark nights, and cannot be run against the wrong way. The special advantages of single trip irons are, they are always up, no danger of hitting the wrong part, and no danger of breakage.

Working Parts Above Freeze.

This gate has the further advantage that all the working parts are above the usual fall of snow, and always in working order. The hanging at top hinge is so arranged as to allow for adjustment for any ordinary settling of post. We have no hesitancy in recommending to the public our all iron and steel Automatic Gate as the best and cheapest automatic gate now made. Full directions for placing in position accompany each gate. Many hundreds of these are in use, and working perfectly.


Prices.

Automatic Gates, 8, 9, 10, 11 and 12 ft.

wide \$10.00 net, extra.

See Gate lists, pages 26 and 27.


Hand Lever for Automatic Gate \$1.00



Cut No. 22.

Price, complete.—4x7 mesh, 80c. per foot; 3x6 mesh, 85c. per foot; 2x3 mesh, 90c. per foot. Gates as on page 27. Any desired height, not to exceed 5 feet, at these prices.

Cut No. 22 represents our All Iron Fence, with the "picket" ornament, and also post ornaments. One of our prettiest designs. **Extra heights to order.**



Cut No. 23.

Price, complete.—90 cents per foot. Gates as on page 27.


Cut No. 23 shows same fence as No. 22, but with 2x3 inch mesh. We think this fence **can not be excelled** in beauty, strength and durability, at equal price.

Any desired height, not to exceed 5 feet, at this price.

Extra heights to order.

**ALL STYLES OF IRON FENCES MADE 38 INCHES BETWEEN RAILS,
UNLESS OTHERWISE ORDERED.**

FENCING FOR CEMETERY LOTS.




Cut No. 20.

Price, complete.—4x7 mesh, 60c. per ft.; 3x6, 65c. per ft.; 2x3, 70c. per ft. Gates as on page 26.

This is our plainest style of cemetery lot fences, and is just the same as cut No. 9. It is used with stone or iron bases. We furnish iron bases only. When ordering, please send diagram.

FENCING FOR CEMETERY LOTS.




Cut No. 8.

Price, complete.—4x7 mesh, 75c. per ft.; 3x6, 80c. per ft.; 2x3, 85c. per ft. Gates as on page 27.

Cut No. 8 represents family lot in cemetery, enclosed with style No. 12. Any other style, preferred, may be used at prices as indicated. When ordering all iron goods, please send diagram showing shape and measure of enclosure, so that we can tell exactly what to send.


FENCING FOR CEMETERY LOTS.



Cut No. 24.

Price, complete.—4x7 mesh, 80c. per foot; 3x6 mesh, 85c. per foot; 2x3 mesh, 90c. per foot.
(For Gates, see Gate List.)

Cut No. 24 represents another style of cemetery lot fence. In ordering, give directions about placing gate, if there is any preference as to side or end. Please send diagram.



Cut No. 30.
PRICES.

38 inches high, or less,	40c. per foot.
38 to 48 inches,	45c. " "
Over 48 inches,	50c. " "

Ornaments like cut No. 11, on page 15, put on for 15c. per foot extra.

Rail and Posts of $\frac{3}{4}$ -inch pipe, outside diameter $1\frac{1}{8}$ -inches. Netting 2-inch mesh No. 15 wire.

 Send diagram and exact measure when asking for estimate or when sending order.

[For description, see next page.]

Single Rail Iron Fence.

This fence, as shown by cut No. 30, page 37, is designed especially for division fences, between lots, and is one of our best for that purpose. It is very neat and tasteful in appearance, does not obstruct the view, yet is substantial and affords all necessary protection.

It is easily put up, with very little or no expense to keep in repair, and being made of machine woven network, is very reasonable in price. It makes a splendid support for vines, which may be trained to cover it with no injury whatever to the fence. Although especially designed for division fences, it may be used for outside fence, if wanted. Can be made to fit any slope desired.


Special Instructions for putting up this fence sent with each order.

SUMMER HOUSES AND LAWN FURNITURE.

We are now making Chairs, Sofas, etc., of net work, with gas pipe frames, which are meeting the highest commendation. They are light and easily handled, comfortable in every respect, and can be left out on the lawn year after year, uninjured by rain, heat, or cold.

Our Summer Houses are models of excellence, and can not fail to please in appearance, besides being substantial and durable. They are constructed of heavy pipe and wire, and made in sections that may be easily handled in shipping and in putting up. Octagon in shape, they are firmly held in place by eight iron posts, extending two feet into the ground, secured to iron foundation plates.

Cuts and Prices on Application.




OPEN.



CLOSED.

20 inch wide Folding Chair	Price, \$3.50
36 " " " Sofa	" 4.00
42 " " " "	" 4.25
48 " " " "	" 4.50



STANDARD CHAIRS AND SOFAS.

Chair without arms	Price, \$3.50
" with arms	" 4.00
Sofa, 4 feet long	" 5.00
" 5 "	" 5.50
" 6 "	" 6.00

PRICE LIST OF SUMMER HOUSES.

8 ft. diameter	\$ 55 00
10 ft. "	60 00
12 ft. "	70 00
14 ft. "	100 00

HOW TO ORDER.

First, select the kind of fence you desire for each place you want a fence, and then make your order as follows:

1. Number of rods or feet wanted.
2. Height of netting.
3. Size of mesh.
4. Whether railing, base, or both, will be used, and width of same, where railing and base are used, give height you want fence complete.
5. Width of gates and height you want gates, and say whether Plain or Ornamental.
6. Tools and staples, if wanted.
7. Closing springs for gates, if wanted.
8. We will cut special lengths, if desired.

To this, write your name plain; also, the name of your town, county, and State.

If your shipping Station is different, be very careful to write that **VERY PLAIN**.

OUR TERMS

are Cash. We allow a Discount of **2 per cent. only** when cash comes with order.

No goods shipped without cash or satisfactory reference.

Where goods are to be shipped C. O. D., name the Bank to which we can send Draft and Bill of Lading.

We deliver goods on cars here, and contract rate of freight.

HOW TO SEND MONEY.

Send Bank Draft, Money Order, or remit by Express prepaid, or Registered Letter. Do not send personal check on local bank. If you wish to send personal check, send it through your bank and let them remit to us by Draft.

Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX

